

[Square Tube Aluminum Extrusion](#)

Square Tube Aluminum Extrusion

Thanks for visiting the Hentec Company, a China square tube aluminum extrusion manufacturer. As shown in the picture, our square tubes come in various sizes for your different applications. Because our square tube aluminium extrusions are moisture resistant, lightweight, easy to drill and machine, they are used extensively in the fields of frames, structures, truck racks, truck beds, trailers, ornamental work, railings, etc.

Our aluminum square tube can be made of 6063-T5, 6063-T6, 6061-T6, 6005-T5 etc. aluminium alloy. As the 6063 aluminum is corrosion resistant, has a surface finish that is much smoother than the other commercially available alloys, and its strength is significantly less, it is often called architectural aluminum.

Surface treatment: mill finish, anodizing, electrophoresis, powder coating etc.

Extrusion equipment: 660~4000Ton

Overseas markets: countries worldwide

Specifications

Square Tube Aluminum Extrusion 1

NAME	A(mm)	B(mm)	T(mm)	EST.WEIGH(kg/m)
L04239	12	12	1.5	0.171
L04184	12.7	12.7	1.65	0.198
L04210	15.88	15.88	1.17	0.187
L04111	16	6	1	0.114
L0435	19	16	1.2	0.228
L04144	19	19	1.55	0.317
L04112	20	6	1	0.148
L04240	20	12	1	0.171
L0451	20	20	1.2	0.245
L0417	20	20	1.8	0.355
L04127	21	15	2	0.346
L0431	22	16.5	1.2	0.253
L0472	22	20	2	0.430
L04206	25	16	2.1	0.418
L0430	25	25	1.2	0.310
L04141	25	25	2	0.524
L0470	25.4	16	1.2	0.263
L04142	25.4	25.4	1.55	0.421
L04126	29	12.5	1.2	0.267
L0480	29	29	1.2	0.390
L04197	30	10	1	0.206
L04207	30	18	2	0.475
L0415	30	20	1.2	0.310
L0415D	30	20	1.5	0.406
L0417	30	20	2	0.499
L04219	30	24.5	2.5	0.668
L04208	30	29	2	0.594
L0461	30	30	1.1	0.345
L0453	30	30	1.5	0.492
L0473	30	30	2	0.635
L04186	30	30	3	0.879
L04200	32	23.5	2	0.556
L04217	32	32	2	0.650
L04155	33.34	25.4	1.59	0.503
L04236	34	15	1.2	0.303
L0426	35	28	1.5	0.488
L04149	35.81	35.81	1.27	0.473
L04220	36.4	20	1.2	0.352
L04235	38	18	1.2	0.349

L0411	38	25	1	0.331
L0408	38	25	1.2	0.394

Square Tube Aluminum Extrusion 2

NAME	A(mm)	B(mm)	T(mm)	EST.WEIGH(kg/m)
JY1306	60	34	1.2	0.596
L0476	60	40	2.5	1.336
L04260	60	50	3	1.685
L0418	60	60	1.2	0.765
L04225	60	60	1.4	0.889
L04182	60	60	1.8	1.192
L0418D	60	60	2	1.318
L0432	65	25	1.4	0.662
L04139	65	40	1.2	0.701
L0487	65	65	3	2.016
L0444	70	8	1.2	0.531
L0478	70	25	1.2	0.651
L04234	70	30	1.0	0.531
L04175	70	34	1.3	0.714
L04101	70	50	1.2	0.796
L0407	70	65	2	1.420
L0483	72	72	1.4	1.148
L0404	76	25	1.2	0.693
L0404D	76	25	1.4	0.745
L0405	76	44	1.2	0.827
L0405D	76	44	1.4	0.889
L0462	76	44	2	1.648
L04196	76	76	1.4	1.132
L0455	76	76	2	1.685
L04124	76.2	25.4	3	1.554
L04122	78.5	25	1.4	1.791
L04187	80	20	1	0.532
L0423	80	25	1.2	0.667
L0423D	80	25	1.5	0.883
L0490	80	25	2	1.139
L04215	80	40	3	1.854
L0424	80	44	1.2	0.791
L0466	80	44	3	2.039
L04221	80	50	2.5	1.694
L04262	80	50	4	2.635
L0491	80	51	2	1.446
L0477	80	60	2.5	1.900
L04123	80	60	4	3.005
L04185	80	60	4.5	3.196
L04229	80	80	3	2.329
L04227	80	80	5	4.065

Besides aluminum extrusion, our primary products also include aluminum solar panel frame, aluminum door profile and aluminum window profile. Having the advantages of aesthetic appearance, abrasion resistance, great durability and good flexibility, our products are very popular with customers from the USA, Canada, Russia, France, Germany, Dubai, South Africa, Brazil, etc.

Backed by our large production capacity (800,000 tons of aluminum profile per year), we can complete your order quickly, and generally the delivery time is within 20-30 days.

Thank you for visiting our website. We invite you to contact us to find more about our aluminum extrusions and profiles.

FEED BACK FORM

E-mail:

Message:

Product Name:

Your Name:

Company:

FAX / TEL:

MSN/SKYPE

Address: